# EBA **1121**

max. **13** sheets

← **22 cm** →

**Compact deskside shredder available in three shred sizes for the professional user. With automatic start/stop via a photo cell.**

| | |
|---|---|
| **Level P-2** | 4 mm strip cut (S) |
| Sheet capacity*: | 11-13 I 9-11 |
| **Level P-4** | 3 x 25 mm particle cut (C) |
| Sheet capacity*: | 6-7 I 5-6 |
| **Level P-5** | 2 x 15 mm particle cut (C) |
| Sheet capacity*: | 4-5 I 3-4 |




* A4 paper 70 g/m² I 80 g/m²

**Technical specifications**

| | |
|---|---|
| **Volume** | 20 litres (shred bin) |
| **Power** | 230 V / 50 Hz** |
| **Motor capacity** | 150 Watt single phase motor |

** other voltages available



| | |
|---|---|
| **Dimensions** | 452 x 345 x 215 mm (H x W x D) |
| **Weight** | 6 kg (S) / 7 kg (C) |
| **ID-No.** | 11223002 |

**GS certificate-No. DP 10031**

**Product characteristics**

Photo cell controlled automatic start and stop. Multifunction switch for stand-by / stop (off) / reverse. Pilot light. Transparent safety flap in the feed opening as additional safety element. High-quality, paper clip proof cutting shafts from special hardened steel with lifetime guarantee. Quiet, powerful and energy-efficient single phase motor. Double motor protection. Fully closed gear box housing and durable gears. Attractive shred bin from impact-resistant plastic. Practical handle for lifting off the shredder unit from the bin. Magnetic proximity switch for automatic stop if the shredder unit is removed from the bin (C). Available as strip cut or cross cut model.

EBA

# EBA **1121**

## Features



### SOLID STEEL CUTTING SHAFTS

Robust and durable: high-quality paper clip proof cutting shafts with lifetime guarantee under conditions of fair wear and tear.



### SAFETY FLAP

The safety flap in the feed opening is an additional safety element to keep fingers, ties or other objects away from the cutting shafts.




### MULTIFUNCTION SWITCH

Easy operation is guaranteed with the three-position rocker switch for stand-by / stop (off) / reverse.



### PRACTICAL HANDLE

A practical handle is integrated into the design for lifting off the shredder unit from the shred bin when full.

MADE IN GERMANY SINCE 1922 | LIFETIME GUARANTEE ON CUTTING SHAFTS | ECO FRIENDLY

c UL us I.T.E. Listed 802 D | CE | GS

EBA

The technical data are approximate. Subject to change. 03/2013

certificate
no. **DP 10031**
dated 25.09.2012

DGUV Test
Prüf- und Zertifizierungsstelle
Druck und Papierverarbeitung
Fachbereich Energie Textil
Elektro Medienerzeugnisse

# GS Test Certificate

| | |
|---|---|
| Name and address of the holder of the certificate: (customer): | Krug & Priester GmbH & Co. KG<br>Simon-Schweitzer-Straße 34<br>72336 Balingen |
| Name and address of the Manufacturer: | see above |
| Product designation: | Paper Shredder |
| Type: | 11221002, 11223002, 11227001 |
| Testing based on: | DIN EN 60950-1:2011-01+A12:2011-08<br>EN 60950-1:2006-04+A11:2009-03+A1:2010-03+A12:2011-02<br>IEC 60950-1:2005-12+AMD1:2009-12<br>Information technology equipment – Safety;<br>Part 1: General requirements<br>EN 12100-2:2004 Safety of machinery – Basic concepts, general principles for design; Part 2: Technical principles EN ISO 13857:2008 Safety of machinery – Safety distances to prevent hazard zones being reached by upper and lower limbs |
| Remarks: | This GS Test Certificate replaces the GS Test Certificate DP 10031 dated 22.03.2010. |

The type tested meets the requirements specified in article 21 para. 1 of the German Product Safety Act. The holder of the certificate is entitled to affix the GS mark shown overleaf to the products complying with the type tested. At that, the holder of the certificate shall observe the conditions specified overleaf.

The present certificate including the right to affix the GS mark is valid until: **21.03.2015**

Further provisions concerning the validity, the extension of the validity and other conditions are laid down in the Rules of Procedure for Testing and Certification of August 2012.

Prüf- und Zertifizierungsstelle · DGUV Test · Fachbereich ETEM – DP

Signature (Dipl.-Ing. Vogl)

Postal address: Postfach • D-65173 Wiesbaden • Office: Rheinstr. 6-8 • D-65185 Wiesbaden
Phone: +49 (0) 611/131-8219 • E-Mail: pruefstelle-dp@bgetem.de
612.17-So/Ho • Test report: A 09194 • Produktschlüsselnummer: 001.1001



In any case, the German original shall prevail.